

Electric refractory brick cutting machine

Overseas
Oil
Services

MS-500T



www.overseasoilservices.com



Electric refractory brick cutting machine (MS-500T)

Product Features

- ☒ Equipped with high-power industrial grade motors, with super strong cutting ability
- Three types of saw blade lifting mechanisms, foot pedal, hand pull, and hand wheel swing, convenient for operation
- ☒ Standard large water pump with environmentally friendly water operation
- Equipped with a saw blade depth locking device, the machine head and saw blade do not shake during cutting, ensuring cutting accuracy even when cutting hard materials
- Special base design, easy to lift with a forklift on any side



- 325 N. St. Paul Street, Dallas, TX, 75201, USA.
- Sussex Centre, 90 Burnhamthorpe Road West , Suit 1400, Mississauga, Ontario, L5B 3C3, Canada.



Technical parameters

Power: 5500 watts

Saw blade size: 350-650mm

Saw blade speed: 1520 revolutions per minute

Maximum cutting depth of refractory bricks: 250 millimeters

The maximum cutting length of refractory bricks: 508 millimeters

Core shaft size: 25.4 millimeters

Belt type: V belt

Gross weight/net weight: 285/265 kilograms

Packaging size: 170x70x135 CM

1 unit/box

Voltage: 380V



OVERSEAS OIL
SERVICES INC.



- 325 N. St. Paul Street, Dallas, TX, 75201, USA.
- Sussex Centre, 90 Burnhamthorpe Road West, Suit 1400, Mississauga, Ontario, L5B 3C3, Canada.