## **HTHP Filter Press**

Overseas Oil Services






www.overseasoilservices.com

## HTHP Filter Press (AE-175B)

HTHP Filter Press is a kind of filter cake that simulates the filtration of drilling fluid and cement slurry in deep wells (high temperature and high pressure), and can be used to prepare the filter cake formed after filtration under high temperature high pressure. It is manufactured in accordance with the specifications of the American Petroleum Institute (API). It has the characteristics of high precision, small repetition error, simple operation and accurate test data. It is widely used scientific fields, in oil research institutes, laboratories and other departments.





Sussex Centre, 90 Burnhamthorpe Road West, Suit 1400, Mississauga,
 Ontario, L5B 3C3, Canada.





## Specification

model	Name	to configure	characteristic
AE-175B	HTHP Filter Press		PID temperature control

Power Supply	220V±5% 50/60Hz	
p ow er	400W	
working temperature	Normal temperature to 150 °C	
capacity	175m l	
ambient temperature	≥18°C	
Effective water loss area	3.5 in (22.6 cm <sup>3</sup> )	
Air source	Nitrogen, carbon dioxide gas	



- 325 N. St. Paul Street, Dallas, TX, 75201, USA.
- Sussex Centre, 90 Burnhamthorpe Road West, Suit 1400, Mississauga,
  Ontario, L5B 3C3, Canada.